

SPEC-D *Tuning*

2005-2008 DODGE MAGNUM LED/ALTEZZA TAIL LIGHTS INSTALLATION INSTRUCTIONS



If you experience any difficulties that the instruction did not cover, Please seek local auto shop for advise.
Please wear protection before you work on your vehicle.
An assistant is helpful when removing the front bumper.
Please be careful while working with the bumper or body part to avoid scratching.
Do not make direct contact with the halogen bulb or the wire assembly until the unit has cooled down after use.

TOOLS AND SUPPLIES REQUIRED

Handy Remover

Product Part Numbers:

LT-MAG05-TM
LT-MAG05JM-TM
LT-MAG05R-TM
LT-MAG05RJM-TM
LT-MAG05GLED-TM
LT-MAG05RLED-TM



2005-2008 DODGE MAGNUM LED/ALTEZZA TAIL LIGHTS INSTALLATION INSTRUCTIONS



If you experience any difficulties that the instruction did not cover, Please seek local auto shop for advise.
Please wear protection before you work on your vehicle.
An assistant is helpful when removing the front bumper.
Please be careful while working with the bumper or body part to avoid scratching.
Do not make direct contact with the halogen bulb or the wire assembly until the unit has cooled down after use.



1. Remove two clips



2. Remove the cover from inside of the trunk



3. Remove one screw



4. Disconnect the taillight wire harness then remove the taillight



5. For Altezza Taillight, remove the the wire harness from the OEM taillight then install the wire harness to the new Taillight Please see the L.E.D.Tail Light wire installation instruction



6. For LED Taillight, you need to remove the brake light light bulb to install the wire harness to the new LED taillight



7. Plug the harness into the sockets



8. please plug the negative with the negative



9. Install the new taillight



10. Install one screw



11. Install two clips
please repeat the picture order from 1 to 11 for the opposite side



12. The installation is now complete

SPEC TUNING