

# SPEC-D *Tuning*

## 49 RED/WHITE LED TAILGATE BAR LIGHT INSTALLATION INSTRUCTIONS

\*If you experience any difficulties that the instructions did not cover, Please seek assistance at local automotive shop.

\*Please wear protection before you work on your vehicle.

\*An assistant is useful when removing the front bumper from your vehicle.

\*Please be cautious when working with the bumper or any parts belonging to the vehicles' body prevent scratching.

\*Do not make direct contact with the halogen bulb or the wire assembly until the unit has cooled down after use.



### TOOLS AND SUPPLIES REQUIRED

Clean Towel

Pliers

Phillips Screwdriver

### Product Part Numbers:

LTG-LED49

LTG-LED60




# 49 RED/WHITE LED TAILGATE BAR LIGHT INSTALLATION INSTRUCTIONS

\*If you experience any difficulties that the instructions did not cover, Please seek assistance at local automotive shop.  
\*Please wear protection before you work on your vehicle.  
\*An assistant is useful when removing the front bumper from your vehicle.  
\*Please be cautious when working with the bumper or any parts belonging to the vehicles' body prevent scratching.  
\*Do not make direct contact with the halogen bulb or the wire assembly until the unit has cooled down after use.



1. Before




2. Clean the area under the tailgate with soapy water and then wipe clean



3. Peel off the adhesive backing




4. Secure the light bar below the tailgate



5. LED Light Bar connections



6. Remove the taillight




7. Connect the white wire to the reverse light positive wire with the quick connector



8. Replace the taillight



9. Connect the LED Light Bar to the 4-way trailer light connector



10. The installation is now complete